Fisheries and Oceans Canada
Pêches et Océans Canada



# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## JULY 2003

Canada

103-07585/

# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## July 2003

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

October 2nd, 2003

Published by:

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

@Minister of Supply and Services
Canada 2003
Catalog No Es 2-8/2003-07E
ISSN 1187-7693

Correct citation for this publication:

Department of Fisheries and Oceans. 2003. Quebec Marine Fisheries - Monthly Landing Statistics by Species, July 2003, 61 p.
Copie française disponible

This document is published eight times a year,
from May to December inclusively

Legend:

| | |
|---|---|
| * | Less than half of the smallest unit used. |
| - | Nil |
| # | Because there are less than three buyers involved in this fishery, these data are confidential and cannot be published. |
| N/A | Not Applicable |
| N/AV | Not Available |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 1 434 | 1 544 | 1 779 | 1 909 | 65 | 89 | 68 | 92 | - 96 | - 95 |
| Haddock | * | * | * | * | - | - | * | * | - 29 | - 46 |
| Redfish | 103 | 72 | 134 | 94 | 164 | 117 | 177 | 127 | 31 | 36 |
| Atlantic halibut | 46 | 233 | 139 | 717 | 49 | 270 | 70 | 393 | - 50 | - 45 |
| American plaice | 32 | 26 | 65 | 53 | 7 | 6 | 19 | 16 | - 70 | - 70 |
| Greysole (Witch) | 24 | 30 | 26 | 31 | * | * | * | * | - 99 | - 99 |
| Winter flounder | 1 | 1 | 96 | 58 | 4 | 3 | 139 | 101 | 44 | 73 |
| Greenland halibut | 221 | 505 | 337 | 774 | 926 | 1 676 | 1 904 | 3 583 | 465 | 363 |
| Unspecified flounders | * | - | 2 | - | - | - | - | - | N/A | - |
| White hake | 6 | 3 | 13 | 7 | 7 | 4 | 8 | 4 | - 43 | - 42 |
| Catfish | 8 | 4 | 12 | 5 | 1 | * | 1 | * | - 94 | - 94 |
| Other Groundfish | 8 | 4 | 198 | 111 | 11 | 8 | 171 | 126 | - 14 | 14 |
| Total Groundfish | 1 883 | 2 421 | 2 803 | 3 759 | 1 234 | 2 174 | 2 556 | 4 444 | - 9 | 18 |
| Herring | 93 | 24 | 2 311 | 610 | 17 | 8 | 2 892 | 649 | 25 | 6 |
| Mackerel | 39 | 20 | 66 | 34 | 124 | 56 | 318 | 156 | 383 | 364 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | 7 | 1 | 7 | 1 | - | - | - | - | N/A | N/A |
| Other Pelagic and Esturial fish | 4 | 2 | 5 | 3 | 4 | 1 | 6 | 2 | 11 | - 11 |
| Total Pelagic and Esturial fish | 142 | 47 | 2 389 | 647 | 145 | 65 | 3 216 | 808 | 35 | 25 |
| Soft shell clam | 102 | 217 | 779 | 1 699 | 99 | 152 | 592 | 929 | - 24 | - 45 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 186 | 230 | 598 | 807 | 446 | 551 | 1 080 | 1 423 | 80 | 76 |
| Whelk | 344 | 294 | 917 | 760 | 313 | 308 | 1 054 | 1 024 | 15 | 35 |
| Lobster | 254 | 3 639 | 2 970 | 41 364 | 187 | 2 511 | 3 125 | 40 893 | 5 | - 1 |
| Shrimp | 3 619 | 4 743 | 11 561 | 15 389 | 3 485 | 4 594 | 13 603 | 18 333 | 18 | 19 |
| Rock crab | 252 | 242 | 367 | 322 | 23 | 17 | 140 | 90 | - 62 | - 72 |
| Snow crab | 1 099 | 5 492 | 17 615 | 88 522 | 723 | 4 247 | 12 363 | 73 433 | - 30 | - 17 |
| Other Molluscs and Crustaceans | 28 | 19 | 32 | 21 | 185 | 123 | 209 | 141 | 556 | 570 |
| Total Molluscs and Crustaceans | 5 885 | 14 875 | 34 840 | 148 884 | 5 460 | 12 502 | 32 165 | 136 266 | - 8 | - 8 |
| Other Item | * | 3 | 3 | 11 | - | - | 71 | 214 | N/A | N/A |
| Total | 7 910 | 17 346 | 40 036 | 153 301 | 6 839 | 14 741 | 38 008 | 141 732 | - 5 | - 8 |

SUB-AREA OF MARITIME FISHERIES IN THE QUEBEC REGION




NORTH SHORE
FROM TADOUSSAC TO BLANC-SABLON

Upper N.Shore: Tadoussac to Gallix
Middle N.Shore: Sept-Iles to Pointe-Parent including Anticosti Island
Lower N.Shore: Kégaska to Blanc-Sablon

GASPESIE
FROM BIC TO MATAPEDIA

Gaspe North: Bic to Rivière-la-Madeleine
Gaspe East: Grande-Vallée to Cap-Gaspé
Gaspe South: Cap-aux-Os to Port-Daniel
Baie des Chaleurs: Shigawake to Matapédia

MAGDALENS ISLANDS

QUEBEC

Anse à Gille to Cap à l'Orginal
Petite Rivière St-François to Baie Ste-Catherine

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JULY 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 45 | 62 | 23 | 31 | 0 | 0 | 68 | 92 |
| Haddock | * | * | * | * | 0 | 0 | * | * |
| Redfish | 2 | 1 | 175 | 126 | 0 | 0 | 177 | 127 |
| Atlantic halibut | 17 | 100 | 52 | 293 | * | 1 | 70 | 393 |
| American plaice | 7 | 5 | 13 | 11 | 0 | 0 | 19 | 16 |
| Greysole (Witch) | * | * | * | * | 0 | 0 | * | * |
| Winter flounder | 33 | 27 | 106 | 74 | 0 | 0 | 139 | 101 |
| Greenland halibut | 363 | 695 | 1 541 | 2 888 | * | * | 1 904 | 3 583 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 1 | * | 7 | 4 | 0 | 0 | 8 | 4 |
| Catfish | * | * | 1 | * | 0 | 0 | 1 | * |
| Other Groundfish | 6 | 3 | 165 | 124 | * | * | 171 | 126 |
| Total Groundfish | 474 | 892 | 2 082 | 3 551 | * | 1 | 2 556 | 4 444 |
| Herring | 790 | 215 | 2 101 | 434 | * | * | 2 892 | 649 |
| Mackerel | 132 | 61 | 187 | 95 | 0 | 0 | 318 | 156 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | * | * | 0 | 0 | 0 | 0 | * | * |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 1 | 1 | 5 | 2 | 0 | 0 | 6 | 2 |
| Total Pelagic and Estuarial fish | 923 | 276 | 2 293 | 531 | * | * | 3 216 | 808 |
| Soft shell clam | 592 | 929 | 0 | 0 | 0 | 0 | 592 | 929 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 147 | 176 | 933 | 1 247 | 0 | 0 | 1 080 | 1 423 |
| Whelk | 486 | 478 | 568 | 547 | 0 | 0 | 1 054 | 1 024 |
| Lobster | 1 600 | 21 217 | 1 526 | 19 677 | 0 | 0 | 3 125 | 40 893 |
| Shrimp | 0 | 0 | 10 359 | 14 007 | 3 243 | 4 326 | 13 603 | 18 333 |
| Rock crab | 99 | 65 | 41 | 25 | 0 | 0 | 140 | 90 |
| Snow crab | 704 | 4 198 | 11 639 | 69 115 | 20 | 121 | 12 363 | 73 433 |
| Other Molluscs and Crustaceans | 16 | 9 | 193 | 132 | 0 | 0 | 209 | 141 |
| Total Molluscs and Crustaceans | 3 642 | 27 070 | 25 259 | 104 750 | 3 263 | 4 446 | 32 165 | 136 266 |
| Other items | 29 | 124 | 42 | 90 | 0 | 0 | 71 | 214 |
| Total | 5 068 | 28 363 | 29 677 | 108 923 | 3 264 | 4 447 | 38 008 | 141 732 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 1 | 2 |
| Haddock | 0 | 0 | 0 | 0 | * | * |
| Redfish | 0 | 0 | 0 | * | * | 13 |
| Atlantic halibut | 0 | 0 | 0 | 1 | 3 | 17 |
| American plaice | 0 | 0 | 0 | 1 | 4 | 7 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 6 | 64 | 65 |
| Greenland halibut | 0 | 0 | 0 | 41 | 363 | 575 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | 1 |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 3 | 59 | 97 |
| Total Groundfish | 0 | 0 | 0 | 53 | 493 | 776 |
| Herring | 0 | 0 | 1 | 2 129 | 696 | 49 |
| Mackerel | 0 | 0 | * | 0 | 0 | 194 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | * | * | 1 |
| Total Pelagic and Esturial fish | 0 | * | 1 | 2 129 | 696 | 244 |
| Soft shell clam | 0 | * | 40 | 94 | 209 | 149 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 93 | 241 | 298 |
| Whelk | 0 | 0 | 0 | 141 | 295 | 305 |
| Lobster | 0 | 0 | 0 | 0 | 1 751 | 1 188 |
| Shrimp | 0 | 0 | 0 | 4 231 | 3 131 | 2 757 |
| Rock crab | 0 | 0 | 0 | 0 | 54 | 63 |
| Snow crab | 0 | 0 | 4 | 1 730 | 4 159 | 5 746 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 11 | 8 | 5 |
| Total Molluscs and Crustaceans | 0 | 2 | 44 | 6 300 | 9 848 | 10 511 |
| Other items | 0 | 0 | * | 18 | 24 | 28 |
| Total | 0 | 2 | 45 | 8 500 | 11 062 | 11 560 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 65 | 0 | 0 | 0 | 0 | 0 | 68 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 164 | 0 | 0 | 0 | 0 | 0 | 177 |
| 49 | 0 | 0 | 0 | 0 | 0 | 70 |
| 7 | 0 | 0 | 0 | 0 | 0 | 19 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 4 | 0 | 0 | 0 | 0 | 0 | 139 |
| 926 | 0 | 0 | 0 | 0 | 0 | 1 904 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 8 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 11 | 0 | 0 | 0 | 0 | 0 | 171 |
| 1 234 | 0 | 0 | 0 | 0 | 0 | 2 556 |
| 17 | 0 | 0 | 0 | 0 | 0 | 2 892 |
| 124 | 0 | 0 | 0 | 0 | 0 | 318 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 6 |
| 145 | 0 | 0 | 0 | 0 | 0 | 3 216 |
| 99 | 0 | 0 | 0 | 0 | 0 | 592 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 446 | 0 | 0 | 0 | 0 | 0 | 1 080 |
| 313 | 0 | 0 | 0 | 0 | 0 | 1 054 |
| 187 | 0 | 0 | 0 | 0 | 0 | 3 125 |
| 3 485 | 0 | 0 | 0 | 0 | 0 | 13 603 |
| 23 | 0 | 0 | 0 | 0 | 0 | 140 |
| 723 | 0 | 0 | 0 | 0 | 0 | 12 363 |
| 185 | 0 | 0 | 0 | 0 | 0 | 209 |
| 5 460 | 0 | 0 | 0 | 0 | 0 | 32 165 |
| 0 | 0 | 0 | 0 | 0 | 0 | 71 |
| 6 839 | 0 | 0 | 0 | 0 | 0 | 38 008 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 1 | 2 |
| Haddock | 0 | 0 | 0 | 0 | * | * |
| Redfish | 0 | 0 | 0 | * | * | 10 |
| Atlantic halibut | 0 | 0 | 0 | 3 | 15 | 104 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 6 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 4 | 50 | 44 |
| Greenland halibut | 0 | 0 | 0 | 99 | 732 | 1 076 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | * |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 2 | 44 | 72 |
| Total Groundfish | 0 | 0 | 0 | 110 | 845 | 1 315 |
| Herring | 0 | 0 | * | 377 | 241 | 23 |
| Mackerel | 0 | 0 | * | 0 | 0 | 100 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | * | * | 1 |
| Total Pelagic and Esturial fish | 0 | * | 1 | 377 | 241 | 124 |
| Soft shell clam | 0 | * | 71 | 151 | 325 | 229 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 174 | 323 | 373 |
| Whelk | 0 | 0 | 0 | 134 | 286 | 297 |
| Lobster | 0 | 0 | 0 | 0 | 23 707 | 14 675 |
| Shrimp | 0 | 0 | 0 | 5 916 | 4 247 | 3 577 |
| Rock crab | 0 | 0 | 0 | 0 | 33 | 40 |
| Snow crab | 0 | 0 | 26 | 10 302 | 24 645 | 34 214 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 10 | 4 | 3 |
| Total Molluscs and Crustaceans | 0 | 2 | 96 | 16 687 | 53 572 | 53 407 |
| Other Items | 0 | 0 | * | 38 | 53 | 123 |
| Total | 0 | 2 | 97 | 17 212 | 54 710 | 54 969 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 89 | 0 | 0 | 0 | 0 | 0 | 92 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 117 | 0 | 0 | 0 | 0 | 0 | 127 |
| 270 | 0 | 0 | 0 | 0 | 0 | 393 |
| 6 | 0 | 0 | 0 | 0 | 0 | 16 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 3 | 0 | 0 | 0 | 0 | 0 | 101 |
| 1 676 | 0 | 0 | 0 | 0 | 0 | 3 583 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 4 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 8 | 0 | 0 | 0 | 0 | 0 | 126 |
| 2 174 | 0 | 0 | 0 | 0 | 0 | 4 444 |
| 8 | 0 | 0 | 0 | 0 | 0 | 649 |
| 56 | 0 | 0 | 0 | 0 | 0 | 156 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 65 | 0 | 0 | 0 | 0 | 0 | 808 |
| 152 | 0 | 0 | 0 | 0 | 0 | 929 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 551 | 0 | 0 | 0 | 0 | 0 | 1 423 |
| 308 | 0 | 0 | 0 | 0 | 0 | 1 024 |
| 2 511 | 0 | 0 | 0 | 0 | 0 | 40 893 |
| 4 594 | 0 | 0 | 0 | 0 | 0 | 18 333 |
| 17 | 0 | 0 | 0 | 0 | 0 | 90 |
| 4 247 | 0 | 0 | 0 | 0 | 0 | 73 433 |
| 123 | 0 | 0 | 0 | 0 | 0 | 141 |
| 12 502 | 0 | 0 | 0 | 0 | 0 | 136 266 |
| 0 | 0 | 0 | 0 | 0 | 0 | 214 |
| 14 741 | 0 | 0 | 0 | 0 | 0 | 141 732 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 883 | 1 021 | 984 | 1 143 | 47 | 63 | 47 | 64 |
| Setheared hooks | 5 | 5 | 5 | 5 | 0 | 0 | 0 | 0 |
| Longline | 76 | 88 | 154 | 177 | 8 | 11 | 8 | 12 |
| Handline | 3 | 3 | 3 | 3 | 0 | 0 | 0 | 0 |
| Trap | 5 | 5 | 5 | 5 | 0 | 0 | 0 | 0 |
| Pot | 0 | 0 | • | • | 0 | 0 | • | • |
| Conical trap | 0 | 0 | 0 | 0 | • | • | • | • |
| Fixed gear | 0 | 0 | 7 | 8 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 269 | 255 | 347 | 327 | 2 | 3 | 2 | 3 |
| Shrimp trawl | 0 | 0 | • | • | 0 | 0 | • | • |
| Danish seine | 123 | 94 | 162 | 127 | 0 | 0 | 0 | 0 |
| Scottish seine | 70 | 72 | 111 | 113 | 9 | 12 | 10 | 13 |
| Species total | 1 434 | 1 544 | 1 779 | 1 909 | 65 | 89 | 68 | 92 |
| Redfish | | | | | | | | |
| Gill net | 1 | • | 1 | 1 | 6 | 4 | 8 | 5 |
| Longline | • | • | 1 | 1 | • | • | • | • |
| Fixed gear | 0 | 0 | • | • | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 102 | 71 | 132 | 93 | 157 | 113 | 168 | 122 |
| Shrimp trawl | • | • | • | • | • | • | • | • |
| Danish seine | • | • | • | • | 0 | 0 | 0 | 0 |
| Species total | 103 | 72 | 134 | 94 | 164 | 117 | 177 | 127 |
| American plaice | | | | | | | | |
| Gill net | 5 | 4 | 7 | 7 | 6 | 5 | 17 | 15 |
| Longline | 1 | 1 | 1 | 1 | • | • | • | • |
| Fixed gear | 0 | 0 | • | • | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 2 | 2 | 8 | 5 | • | • | 2 | • |
| Danish seine | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Scottish seine | 22 | 18 | 47 | 39 | 1 | • | 1 | 1 |
| Species total | 32 | 26 | 65 | 53 | 7 | 6 | 19 | 16 |
| Greenland halibut | | | | | | | | |
| Gill net | 190 | 437 | 264 | 607 | 882 | 1 597 | 1 851 | 3 487 |
| Longline | 13 | 29 | 26 | 60 | 23 | 41 | 29 | 52 |
| Fixed gear | 0 | 0 | 8 | 18 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 17 | 37 | 38 | 85 | 20 | 37 | 24 | 44 |
| Shrimp trawl | • | • | 1 | 2 | 1 | 1 | 1 | 1 |
| Danish seine | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) | | | | 2003 (preliminary) | | | |
|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | |
| | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Species total | 221 | 505 | 337 | 774 | 926 | 1 676 | 1 904 | 3 583 |
| Unspecified groundfish | | | | | | | | |
| Gill net | 6 | 21 | 24 | 44 | 13 | 54 | 48 | 115 |
| Longline | 53 | 216 | 149 | 671 | 40 | 216 | 54 | 297 |
| Japanese trap | 0 | 0 | . | . | 0 | 0 | 0 | 0 |
| Fixed gear | 0 | 0 | 2 | 7 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 25 | 31 | 100 | 84 | 7 | 6 | 68 | 41 |
| Shrimp trawl | . | 1 | 1 | 4 | . | . | 1 | 6 |
| Danish seine | . | . | . | . | 0 | 0 | 0 | 0 |
| Scottish seine | 9 | 5 | 212 | 120 | 12 | 9 | 217 | 167 |
| Species total | 94 | 275 | 488 | 930 | 72 | 285 | 388 | 625 |
| **Total Groundfish** | **1 883** | **2 421** | **2 803** | **3 759** | **1 234** | **2 174** | **2 556** | **4 444** |
| Herring | | | | | | | | |
| Gill net | 73 | 20 | 1 900 | 566 | 17 | 8 | 1 986 | 637 |
| Trap | 19 | 4 | 26 | 6 | 0 | 0 | 0 | 0 |
| Fixed gear | 0 | 0 | 196 | 2 | 0 | 0 | 905 | 12 |
| Bottom otter trawl (stern) | 0 | 0 | . | . | 0 | 0 | 0 | 0 |
| Shrimp trawl | 0 | 0 | 1 | . | . | . | . | . |
| Purse seine | 0 | 0 | 187 | 37 | 0 | 0 | 0 | 0 |
| Species total | 93 | 24 | 2 311 | 610 | 17 | 8 | 2 892 | 649 |
| Mackerel | | | | | | | | |
| Gill net | 37 | 19 | 62 | 32 | 119 | 53 | 309 | 151 |
| Longline | 0 | 0 | 0 | 0 | . | . | . | . |
| Handline | 1 | 1 | 4 | 1 | 5 | 3 | 10 | 5 |
| Species total | 39 | 20 | 66 | 34 | 124 | 56 | 318 | 156 |
| Unspecified, other fish | | | | | | | | |
| Gill net | 1 | . | 1 | 1 | 4 | 1 | 5 | 2 |
| Longline | 2 | 1 | 2 | 1 | 0 | 0 | . | . |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | . | . |
| Trap | 7 | 1 | 7 | 1 | 0 | 0 | 0 | 0 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | . | 0 |
| Bottom otter trawl (stern) | 1 | . | 2 | . | 1 | . | 1 | . |
| Species total | 11 | 3 | 13 | 3 | 4 | 1 | 6 | 2 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Total Pelagic and Estuarial fish** | **142** | **47** | **2 389** | **647** | **145** | **65** | **3 216** | **808** |
| Scallop | | | | | | | | |
| Drag | 186 | 230 | 598 | 807 | 446 | 551 | 1 080 | 1 423 |
| Species total | 186 | 230 | 598 | 807 | 446 | 551 | 1 080 | 1 423 |
| Lobster | | | | | | | | |
| Pot | 254 | 3 639 | 2 970 | 41 364 | 187 | 2 511 | 3 125 | 40 893 |
| Species total | 254 | 3 639 | 2 970 | 41 364 | 187 | 2 511 | 3 125 | 40 893 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 3 619 | 4 743 | 11 561 | 15 389 | 3 485 | 4 594 | 13 603 | 18 333 |
| Species total | 3 619 | 4 743 | 11 561 | 15 389 | 3 485 | 4 594 | 13 603 | 18 333 |
| Rock crab | | | | | | | | |
| Pot | 252 | 242 | 367 | 322 | 23 | 17 | 140 | 90 |
| Species total | 252 | 242 | 367 | 322 | 23 | 17 | 140 | 90 |
| Snow crab | | | | | | | | |
| Japanese trap | 412 | 2 020 | 4 110 | 20 361 | 345 | 1 986 | 2 536 | 14 956 |
| Rectangular trap | 0 | 0 | 0 | 0 | * | 1 | 5 | 31 |
| Conical trap | 645 | 3 285 | 12 816 | 64 738 | 378 | 2 258 | 9 556 | 56 870 |
| Pyramidal trap | * | 1 | 260 | 1 326 | * | 2 | 266 | 1 577 |
| Mix of trap - crab | 42 | 185 | 429 | 2 097 | 0 | 0 | 0 | 0 |
| Species total | 1 099 | 5 492 | 17 615 | 88 522 | 723 | 4 247 | 12 363 | 73 433 |
| Unspecified crustaceans | | | | | | | | |
| Trap | 344 | 294 | 917 | 760 | 313 | 308 | 1 054 | 1 024 |
| Pot | 1 | * | 4 | 2 | 3 | 2 | 16 | 9 |
| Conical trap | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Rakes & tongs | 102 | 217 | 779 | 1 699 | 99 | 152 | 592 | 929 |
| Drag | 28 | 18 | 28 | 19 | 182 | 122 | 193 | 132 |
| Species total | 475 | 530 | 1 729 | 2 480 | 597 | 583 | 1 854 | 2 094 |
| Unspecified crustaeans | **5 885** | **14 875** | **34 840** | **148 884** | **5 460** | **12 502** | **32 165** | **136 266** |
| Trap | | | | | | | | |
| Pot | | | | | | | | |
| Rakes & tongs | | | | | | | | |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Drag | 0 | 0 | * | * | 0 | 0 | 41 | 86 |
| | * | * | 3 | 9 | 0 | 0 | 30 | 128 |
| Species total | * | 2 | * | 2 | 0 | 0 | 0 | 0 |
| **Total Molluscs et Crustaceans** | * | 3 | 3 | 11 | 0 | 0 | 71 | 214 |
| Unspecified items | | | | | | | | |
| Diving with hand tool | | | | | | | | |
| Gill net | **7 910** | **17 346** | **40 036** | **153 301** | **6 839** | **14 741** | **38 008** | **141 732** |
| Drag | | | | | | | | |
| Species total | | | | | | | | |
| **Quebec region total :** | | | | | | | | |

## Monthly landings in metric tons in province of Québec



## Monthly landings value in thousands of dollars in province of Québec



QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

UPPER NORTH-SHORE

TADOUSSAC TO GALLIX

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | - | - | - | - | - | - | * | * | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | - | - | - | - | N/A | N/A |
| Atlantic halibut | * | * | 2 | 17 | 1 | 5 | 4 | 28 | 54 | 64 |
| American plaice | * | * | * | * | 1 | 1 | 2 | 2 | 256 | 261 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 9 | 20 | 11 | 26 | 81 | 150 | 138 | 259 | N/A | 909 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | * | * | * | * | * | * | 7 | 108 |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | - | - | - | - | - | - | - | - | - | - |
| Total Groundfish | 9 | 20 | 14 | 43 | 82 | 156 | 144 | 289 | 923 | 569 |
| Herring | 1 | * | 53 | 30 | 5 | 3 | 22 | 15 | - 59 | -50 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | - | * | - | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 1 | * | 53 | 30 | 5 | 3 | 22 | 15 | - 59 | - 50 |
| Soft shell clam | 91 | 195 | 726 | 1 592 | 93 | 145 | 581 | 911 | - 20 | -43 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | - | - | 2 | 2 | 2 | 2 | N/A | N/A |
| Whelk | 128 | 108 | 373 | 313 | 47 | 42 | 259 | 230 | - 31 | -26 |
| Lobster | - | - | - | - | - | - | * | * | N/A | N/A |
| Shrimp | - | - | 62 | 185 | - | - | 96 | 310 | 56 | 67 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 41 | 201 | 1 709 | 8 302 | 22 | 128 | 1 007 | 6 014 | - 41 | -28 |
| Other Molluscs and Crustaceans | 4 | 3 | 4 | 3 | - | - | 4 | 3 | - 11 | -11 |
| Total Molluscs and Crustaceans | 265 | 507 | 2 874 | 10 394 | 164 | 317 | 1 949 | 7 470 | - 32 | - 28 |
| Other Item | - | - | * | * | - | - | * | * | - 94 | 21 |
| Total | 275 | 528 | 2 942 | 10 467 | 252 | 476 | 2 114 | 7 774 | - 28 | - 26 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MIDDLE NORTH-SHORE

SEPT-ILES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | * | * | 3 | 4 | * | * | 1 | * | - 82 | -89 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | 1 | * | 1 | * | N/A | 891 |
| Atlantic halibut | 1 | 8 | 11 | 64 | 6 | 38 | 12 | 75 | 10 | 16 |
| American plaice | * | * | * | * | * | * | 1 | 1 | 158 | 211 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 13 | 30 | 20 | 44 | 92 | 166 | 161 | 299 | 724 | 572 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | * | * | * | * | N/A | N/A |
| Catfish | - | - | * | * | - | - | * | * | - 98 | -98 |
| Other Groundfish | * | * | * | * | * | * | * | * | 6 | -75 |
| Total Groundfish | 15 | 38 | 34 | 113 | 99 | 205 | 175 | 375 | 414 | 231 |
| Herring | 1 | * | 61 | 39 | - | - | 104 | 69 | 70 | 78 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | * | * | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 1 | * | 61 | 39 | - | - | 104 | 69 | 69 | 78 |
| Soft shell clam | 11 | 22 | 53 | 107 | 6 | 7 | 8 | 10 | - 85 | -90 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 92 | 102 | 346 | 388 | 228 | 261 | 612 | 678 | 77 | 75 |
| Whelk | 181 | 157 | 397 | 346 | 177 | 174 | 585 | 574 | 47 | 66 |
| Lobster | 13 | 183 | 47 | 656 | 15 | 201 | 42 | 544 | - 11 | -17 |
| Shrimp | - | - | 135 | 273 | 2 | 3 | 167 | 359 | 24 | 32 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 516 | 2 554 | 4 538 | 22 415 | 169 | 1 014 | 2 188 | 13 038 | - 52 | -42 |
| Other Molluscs and Crustaceans | 23 | 15 | 23 | 15 | 180 | 119 | 180 | 119 | 670 | 670 |
| Total Molluscs and Crustaceans | 837 | 3 034 | 5 540 | 24 200 | 776 | 1 780 | 3 782 | 15 323 | - 32 | - 37 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 852 | 3 073 | 5 635 | 24 352 | 875 | 1 985 | 4 060 | 15 766 | - 28 | - 35 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

LOWER NORTH-SHORE

KEGASKA TO BLANC-SABLON

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 466 | 538 | 469 | 542 | 45 | 61 | 45 | 61 | - 90 | -89 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | 3 | 2 | 3 | 2 | N/A | N/A |
| Atlantic halibut | 17 | 91 | 20 | 106 | 2 | 9 | 5 | 28 | - 76 | -74 |
| American plaice | - | - | - | - | - | - | - | - | - | - |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 2 | 4 | 2 | 4 | 211 | 364 | 229 | 393 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | * | * | * | * | N/A | N/A |
| Catfish | 4 | 2 | 5 | 3 | - | - | - | - | N/A | N/A |
| Other Groundfish | - | - | - | - | 1 | * | 1 | * | N/A | N/A |
| Total Groundfish | 489 | 635 | 497 | 656 | 262 | 436 | 282 | 484 | - 43 | - 26 |
| Herring | 60 | 15 | 105 | 29 | 9 | 3 | 28 | 11 | - 74 | -62 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | 7 | 1 | 7 | 1 | - | - | - | - | N/A | N/A |
| Other Pelagic and Esturial fish | * | * | * | * | - | - | * | 1 | 72 | 113 |
| Total Pelagic and Esturial fish | 67 | 15 | 112 | 30 | 9 | 3 | 28 | 11 | - 75 | - 62 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | 3 | 4 | 99 | 121 | 126 | 154 | N/A | N/A |
| Whelk | * | * | 1 | 1 | 15 | 13 | 15 | 13 | N/A | N/A |
| Lobster | 6 | 67 | 22 | 232 | 13 | 96 | 29 | 232 | 34 | 0 |
| Shrimp | 345 | 456 | 660 | 870 | 197 | 262 | 732 | 893 | 11 | 3 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 311 | 1 500 | 1 569 | 7 696 | 300 | 1 719 | 715 | 4 074 | - 54 | -47 |
| Other Molluscs and Crustaceans | - | - | - | - | 2 | 3 | 2 | 3 | N/A | N/A |
| Total Molluscs and Crustaceans | 662 | 2 023 | 2 254 | 8 802 | 625 | 2 213 | 1 619 | 5 369 | - 28 | - 39 |
| Other Item | * | * | 3 | 9 | - | - | 30 | 128 | N/A | N/A |
| Total | 1 218 | 2 673 | 2 865 | 9 497 | 896 | 2 653 | 1 959 | 5 992 | - 32 | - 37 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 466 | 538 | 472 | 546 | 45 | 61 | 46 | 62 | - 90 | - 89 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | 3 | 2 | 3 | 2 | N/A | N/A |
| Atlantic halibut | 18 | 98 | 33 | 188 | 9 | 53 | 20 | 130 | - 39 | - 31 |
| American plaice | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 225 | 247 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 23 | 54 | 32 | 74 | 384 | 679 | 528 | 950 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | * | * | * | * | * | * | N/A | N/A |
| Catfish | 4 | 2 | 6 | 3 | - | - | * | * | - 100 | - 100 |
| Other Groundfish | * | * | * | * | 1 | * | 1 | * | 406 | 32 |
| Total Groundfish | 513 | 693 | 545 | 812 | 443 | 797 | 601 | 1 147 | 10 | 41 |
| Herring | 61 | 15 | 219 | 97 | 14 | 7 | 153 | 94 | - 30 | - 3 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | 7 | 1 | 7 | 1 | - | - | - | - | N/A | N/A |
| Other Pelagic and Esturial fish | * | * | * | * | - | - | * | 1 | - 27 | 40 |
| Total Pelagic and Esturial fish | 68 | 16 | 226 | 98 | 14 | 7 | 153 | 95 | - 32 | - 3 |
| Soft shell clam | 102 | 217 | 779 | 1 699 | 99 | 152 | 588 | 921 | - 25 | - 46 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 92 | 102 | 349 | 392 | 329 | 385 | 740 | 834 | 112 | 113 |
| Whelk | 309 | 265 | 771 | 659 | 238 | 230 | 859 | 818 | 11 | 24 |
| Lobster | 20 | 250 | 69 | 888 | 28 | 297 | 71 | 776 | 3 | - 13 |
| Shrimp | 345 | 456 | 856 | 1 329 | 198 | 265 | 995 | 1 563 | 16 | 18 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 868 | 4 255 | 7 816 | 38 412 | 491 | 2 860 | 3 909 | 23 126 | - 50 | - 40 |
| Other Molluscs and Crustaceans | 28 | 18 | 28 | 18 | 182 | 122 | 186 | 124 | 571 | 579 |
| Total Molluscs and Crustaceans | 1 764 | 5 564 | 10 668 | 43 397 | 1 566 | 4 311 | 7 349 | 28 162 | - 31 | - 35 |
| Other Item | * | * | 3 | 9 | - | - | 30 | 128 | 891 | N/A |
| Total | 2 345 | 6 274 | 11 442 | 44 316 | 2 023 | 5 115 | 8 132 | 29 532 | - 29 | - 33 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JULY 2003
QUEBEC REGION

" PRELIMINARY "

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 45 | 61 | 1 | 1 | 0 | 0 | 46 | 62 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 3 | 2 | 0 | 0 | 3 | 2 |
| Atlantic halibut | 5 | 35 | 15 | 95 | 0 | 0 | 20 | 130 |
| American plaice | * | * | 2 | 2 | 0 | 0 | 2 | 2 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 36 | 67 | 492 | 883 | 0 | 0 | 528 | 950 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | * | * | 0 | 0 | * | * |
| Catfish | * | * | 0 | 0 | 0 | 0 | * | * |
| Other Groundfish | 0 | 0 | 1 | * | 0 | 0 | 1 | * |
| Total Groundfish | 86 | 164 | 514 | 983 | 0 | 0 | 601 | 1 147 |
| Herring | 65 | 36 | 88 | 58 | 0 | 0 | 153 | 94 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | * | * | * | * | 0 | 0 | * | 1 |
| Total Pelagic and Estuarial fish | 65 | 36 | 88 | 59 | 0 | 0 | 153 | 95 |
| Soft shell clam | 588 | 921 | 0 | 0 | 0 | 0 | 588 | 921 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 147 | 176 | 593 | 658 | 0 | 0 | 740 | 834 |
| Whelk | 433 | 424 | 426 | 394 | 0 | 0 | 859 | 818 |
| Lobster | 39 | 368 | 32 | 407 | 0 | 0 | 71 | 776 |
| Shrimp | 0 | 0 | 858 | 1 423 | 137 | 139 | 995 | 1 563 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 223 | 1 304 | 3 687 | 21 822 | 0 | 0 | 3 909 | 23 126 |
| Other Molluscs and Crustaceans | 0 | 0 | 186 | 124 | 0 | 0 | 186 | 124 |
| Total Molluscs and Crustaceans | 1 430 | 3 194 | 5 782 | 24 829 | 137 | 139 | 7 349 | 28 162 |
| Other items | 29 | 124 | 1 | 5 | 0 | 0 | 30 | 128 |
| Total | 1 610 | 3 517 | 6 385 | 25 875 | 137 | 139 | 8 132 | 29 532 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

NORTH-SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | * | * |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | * | * |
| Atlantic halibut | 0 | 0 | 0 | * | 1 | 11 |
| American plaice | 0 | 0 | 0 | * | * | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 2 | 40 | 103 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 0 | * | 0 |
| Total Groundfish | 0 | 0 | 0 | 2 | 41 | 115 |
| Herring | 0 | 0 | 1 | 13 | 93 | 32 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 1 | 13 | 93 | 32 |
| Soft shell clam | 0 | * | 40 | 94 | 206 | 149 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 0 | 164 | 245 |
| Whelk | 0 | 0 | 0 | 101 | 249 | 271 |
| Lobster | 0 | 0 | 0 | 0 | 8 | 34 |
| Shrimp | 0 | 0 | 0 | 179 | 59 | 560 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 799 | 1 492 | 1 127 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 4 | 0 | 0 |
| Total Molluscs et Crustaceans | 0 | 2 | 40 | 1 176 | 2 178 | 2 387 |
| Other items | 0 | 0 | * | 0 | 1 | 28 |
| Total | 0 | 2 | 41 | 1 191 | 2 314 | 2 563 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

NORTH-SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 45 | 0 | 0 | 0 | 0 | 0 | 46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 3 |
| 9 | 0 | 0 | 0 | 0 | 0 | 20 |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 384 | 0 | 0 | 0 | 0 | 0 | 528 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| . | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 443 | 0 | 0 | 0 | 0 | 0 | 601 |
| 14 | 0 | 0 | 0 | 0 | 0 | 153 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 14 | 0 | 0 | 0 | 0 | 0 | 153 |
| 99 | 0 | 0 | 0 | 0 | 0 | 588 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 329 | 0 | 0 | 0 | 0 | 0 | 740 |
| 238 | 0 | 0 | 0 | 0 | 0 | 859 |
| 28 | 0 | 0 | 0 | 0 | 0 | 71 |
| 19[illegible] | 0 | 0 | 0 | 0 | 0 | 995 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 491 | 0 | 0 | 0 | 0 | 0 | 3 909 |
| 182 | 0 | 0 | 0 | 0 | 0 | 186 |
| 1 566 | 0 | 0 | 0 | 0 | 0 | 7 349 |
| 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| 2 023 | 0 | 0 | 0 | 0 | 0 | 8 132 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | . | . |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | . | . |
| Atlantic halibut | 0 | 0 | 0 | . | 8 | 68 |
| American plaice | 0 | 0 | 0 | . | . | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 4 | 79 | 188 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | . |
| Other Groundfish | 0 | 0 | 0 | 0 | . | 0 |
| Total Groundfish | 0 | 0 | 0 | 4 | 87 | 258 |
| Herring | 0 | 0 | . | 9 | 62 | 16 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 1 |
| Total Pelagic and Estuarial fish | 0 | 0 | . | 9 | 62 | 17 |
| Soft shell clam | 0 | . | 71 | 151 | 318 | 229 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 0 | 179 | 267 |
| Whelk | 0 | 0 | 0 | 90 | 238 | 261 |
| Lobster | 0 | 0 | 0 | 0 | 111 | 367 |
| Shrimp | 0 | 0 | 0 | 468 | 165 | 665 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 4 760 | 8 893 | 6 613 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 3 | 0 | 0 |
| Total Molluscs and Crustaceans | 0 | 2 | 71 | 5 472 | 9 904 | 8 402 |
| Other items | 0 | 0 | . | 0 | 5 | 123 |
| Total | 0 | 2 | 71 | 5 485 | 10 059 | 8 800 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 61 | 0 | 0 | 0 | 0 | 0 | 62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 53 | 0 | 0 | 0 | 0 | 0 | 130 |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 679 | 0 | 0 | 0 | 0 | 0 | 950 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| . | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| . | 0 | 0 | 0 | 0 | 0 | . |
| 797 | 0 | 0 | 0 | 0 | 0 | 1 147 |
| 7 | 0 | 0 | 0 | 0 | 0 | 94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 7 | 0 | 0 | 0 | 0 | 0 | 95 |
| 152 | 0 | 0 | 0 | 0 | 0 | 921 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 385 | 0 | 0 | 0 | 0 | 0 | 834 |
| 230 | 0 | 0 | 0 | 0 | 0 | 818 |
| 297 | 0 | 0 | 0 | 0 | 0 | 776 |
| 265 | 0 | 0 | 0 | 0 | 0 | 1 563 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2860 | 0 | 0 | 0 | 0 | 0 | 23 126 |
| 122 | 0 | 0 | 0 | 0 | 0 | 124 |
| 4 311 | 0 | 0 | 0 | 0 | 0 | 28 162 |
| 0 | 0 | 0 | 0 | 0 | 0 | 128 |
| 5 115 | 0 | 0 | 0 | 0 | 0 | 29 532 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 448 | 518 | 450 | 520 | 45 | 61 | 46 | 62 |
| Setheared hooks | 5 | 5 | 5 | 5 | 0 | 0 | 0 | 0 |
| Longline | 5 | 6 | 10 | 12 | 0 | 0 | * | * |
| Handline | 3 | 3 | 3 | 3 | 0 | 0 | 0 | 0 |
| Trap | 5 | 5 | 5 | 5 | 0 | 0 | 0 | 0 |
| Conical trap | 0 | 0 | 0 | 0 | * | * | * | * |
| Species total : | 466 | 538 | 472 | 546 | 45 | 61 | 46 | 62 |
| Redfish | | | | | | | | |
| Gill net | * | * | * | * | 3 | 2 | 3 | 2 |
| Longline | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Species total : | * | * | * | * | 3 | 2 | 3 | 2 |
| American plaice | | | | | | | | |
| Gill net | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| Longline | 0 | 0 | * | * | 0 | 0 | * | * |
| Species total : | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| Greenland halibut | | | | | | | | |
| Gill net | 22 | 51 | 30 | 69 | 384 | 679 | 527 | 948 |
| Longline | 1 | 3 | 2 | 5 | * | * | 1 | 2 |
| Species total : | 23 | 54 | 32 | 74 | 384 | 679 | 528 | 950 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 1 | 3 | 1 | 5 | 5 | 25 | 9 | 50 |
| Longline | 21 | 97 | 38 | 186 | 4 | 28 | 12 | 80 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Species total : | 22 | 100 | 39 | 191 | 10 | 53 | 22 | 130 |
| **Total Groundfish** | **513** | **693** | **545** | **812** | **443** | **797** | **601** | **1 147** |
| Herring | | | | | | | | |
| Gill net | 42 | 11 | 193 | 91 | 14 | 7 | 153 | 94 |
| Trap | 19 | 4 | 26 | 6 | 0 | 0 | 0 | 0 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Species total | 61 | 15 | 219 | 97 | 14 | 7 | 153 | 94 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | * | * | * | * | 0 | 0 | * | 1 |
| Longline | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Trap | 7 | 1 | 7 | 1 | 0 | 0 | 0 | 0 |
| Species total | 7 | 1 | 7 | 1 | 0 | 0 | * | 1 |
| **Total Pelagic and Estuarial fish** | **68** | **16** | **226** | **98** | **14** | **7** | **153** | **95** |
| Scallop | | | | | | | | |
| Drag | 92 | 102 | 349 | 392 | 329 | 385 | 740 | 834 |
| Species total | 92 | 102 | 349 | 392 | 329 | 385 | 740 | 834 |
| Lobster | | | | | | | | |
| Pot | 20 | 250 | 69 | 888 | 28 | 297 | 71 | 776 |
| Species total | 20 | 250 | 69 | 888 | 28 | 297 | 71 | 776 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 345 | 456 | 856 | 1 329 | 198 | 265 | 995 | 1 563 |
| Species total | 345 | 456 | 856 | 1 329 | 198 | 265 | 995 | 1 563 |
| Snow crab | | | | | | | | |
| Japanese trap | 409 | 2 004 | 2 907 | 14 281 | 331 | 1 903 | 1 338 | 7 801 |
| Conical trap | 418 | 2 066 | 4 467 | 21 965 | 160 | 957 | 2 571 | 15 325 |
| Pyramidal trap | 0 | 0 | 14 | 68 | 0 | 0 | 0 | 0 |
| Mix of trap - crab | 42 | 185 | 429 | 2 097 | 0 | 0 | 0 | 0 |
| Species total | 868 | 4 255 | 7 816 | 38 412 | 491 | 2 860 | 3 909 | 23 126 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 309 | 265 | 771 | 659 | 238 | 230 | 859 | 818 |
| Rakes & tongs | 102 | 217 | 779 | 1 699 | 99 | 152 | 588 | 921 |
| Drag | 28 | 18 | 28 | 18 | 182 | 122 | 186 | 124 |
| Species total | 439 | 500 | 1 579 | 2 376 | 519 | 503 | 1 633 | 1 864 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Total Molluscs et Crustaceans** | **1 764** | **5 564** | **10 668** | **43 397** | **1 566** | **4 311** | **7 349** | **28 162** |
| OTHER ITEMS | | | | | | | | |
| Diving with hand tool | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Gill net | * | * | 3 | 9 | 0 | 0 | 30 | 128 |
| Species total | * | * | 3 | 9 | 0 | 0 | 30 | 128 |
| **Sector total :** | **2 345** | **6 274** | **11 442** | **44 316** | **2 023** | **5 115** | **8 132** | **29 532** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-NORTH

BIC TO RIVIERE-LA-MADELEINE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 1 | 1 | 2 | 2 | * | * | * | * | - 85 | -85 |
| Haddock | - | - | - | - | - | - | * | * | N/A | N/A |
| Redfish | * | * | * | * | * | * | 1 | 1 | 163 | 160 |
| Atlantic halibut | 2 | 9 | 6 | 28 | 3 | 15 | 4 | 23 | - 24 | -20 |
| American plaice | 4 | 3 | 6 | 5 | 5 | 4 | 14 | 12 | 139 | 151 |
| Greysole (Witch) | - | - | - | - | - | - | * | * | N/A | N/A |
| Winter flounder | - | - | - | - | - | - | 1 | * | N/A | N/A |
| Greenland halibut | 146 | 336 | 192 | 442 | 322 | 600 | 921 | 1 780 | 380 | 303 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | 1 | * | * | * | 1 | 1 | 80 | 115 |
| Catfish | - | - | * | * | * | * | * | * | - 53 | -13 |
| Other Groundfish | 1 | * | 1 | 1 | 1 | 1 | 2 | 2 | 185 | 217 |
| Total Groundfish | 154 | 350 | 206 | 478 | 332 | 621 | 943 | 1 819 | 357 | 280 |
| Herring | 1 | 1 | 7 | 5 | * | * | 2 | 1 | - 73 | -83 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | 1 | * | 3 | 1 | 3 | 1 | 508 | 520 |
| Total Pelagic and Esturial fish | 2 | 1 | 7 | 5 | 3 | 1 | 5 | 2 | - 28 | - 62 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 9 | 16 | 14 | 26 | 1 | 2 | 20 | 37 | 45 | 46 |
| Whelk | 35 | 28 | 143 | 100 | 62 | 67 | 182 | 195 | 27 | 96 |
| Lobster | * | 1 | 1 | 7 | * | 2 | 1 | 7 | 0 | -4 |
| Shrimp | 719 | 1 004 | 2 551 | 3 576 | 599 | 792 | 2 430 | 3 238 | - 5 | -9 |
| Rock crab | 29 | 29 | 37 | 37 | 7 | 6 | 21 | 15 | - 43 | -59 |
| Snow crab | 33 | 167 | 1 797 | 9 079 | 5 | 30 | 1 853 | 11 084 | 3 | 22 |
| Other Molluscs and Crustaceans | * | * | 3 | 2 | * | * | 13 | 7 | 368 | 368 |
| Total Molluscs and Crustaceans | 825 | 1 246 | 4 546 | 12 827 | 676 | 899 | 4 520 | 14 584 | - 1 | 14 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 981 | 1 597 | 4 759 | 13 310 | 1 010 | 1 520 | 5 468 | 16 405 | 15 | 23 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-EAST

GRANDE VALLÉE TO CAP GASPÉ

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 148 | 172 | 287 | 328 | 5 | 7 | 5 | 8 | - 98 | -98 |
| Haddock | - | - | * | * | - | - | - | - | N/A | N/A |
| Redfish | 53 | 29 | 66 | 37 | 26 | 15 | 27 | 15 | - 59 | -59 |
| Atlantic halibut | 13 | 62 | 66 | 325 | 29 | 156 | 36 | 192 | - 45 | -41 |
| American plaice | 1 | 1 | 5 | 2 | 1 | * | 1 | 1 | - 73 | -63 |
| Greysole (Witch) | * | * | * | * | - | - | - | - | N/A | N/A |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 49 | 113 | 100 | 228 | 149 | 268 | 373 | 699 | 274 | 206 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 4 | 2 | 10 | 6 | 3 | 2 | 4 | 2 | - 65 | -63 |
| Catfish | 3 | 1 | 4 | 1 | * | * | * | * | - 90 | -88 |
| Other Groundfish | * | * | * | * | * | * | 1 | * | 47 | 140 |
| Total Groundfish | 272 | 380 | 539 | 929 | 214 | 447 | 447 | 918 | - 17 | - 1 |
| Herring | - | - | 1 | * | * | * | * | * | - 63 | 17 |
| Mackerel | 2 | 1 | 2 | 1 | - | - | - | - | N/A | N/A |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 1 | * | 1 | * | 1 | 1 | 2 | 1 | 114 | 298 |
| Total Pelagic and Esturial fish | 2 | 2 | 3 | 2 | 1 | 1 | 2 | 1 | - 40 | - 48 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 36 | 22 | 36 | 22 | 12 | 19 | 16 | 26 | - 56 | 14 |
| Whelk | - | - | * | * | 1 | 1 | 1 | 1 | 738 | 798 |
| Lobster | 11 | 159 | 47 | 634 | 13 | 177 | 50 | 690 | 5 | 9 |
| Shrimp | 2 555 | 3 283 | 8 154 | 10 484 | 2 687 | 3 537 | 10 177 | 13 532 | 25 | 29 |
| Rock crab | 12 | 11 | 31 | 29 | 10 | 7 | 32 | 21 | 3 | -25 |
| Snow crab | 5 | 25 | 591 | 2 984 | 8 | 50 | 722 | 4 301 | 22 | 44 |
| Other Molluscs and Crustaceans | * | * | 1 | * | 3 | 2 | 3 | 2 | 428 | 428 |
| Total Molluscs and Crustaceans | 2 620 | 3 501 | 8 859 | 14 154 | 2 734 | 3 792 | 11 000 | 18 573 | 24 | 31 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 2 894 | 3 882 | 9 402 | 15 084 | 2 948 | 4 240 | 11 449 | 19 492 | 22 | 29 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-SOUTH

CAP-AUX-OS TO PORT DANIEL

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 700 | 707 | 845 | 850 | 5 | 7 | 5 | 7 | - 99 | -99 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | 1 | * | 23 | 13 | 23 | 13 | N/A | N/A |
| Atlantic halibut | 11 | 55 | 33 | 165 | 5 | 26 | 5 | 26 | - 85 | -84 |
| American plaice | 4 | 3 | 6 | 4 | * | * | * | * | - 98 | -98 |
| Greysole (Witch) | - | - | 1 | * | * | * | * | * | - 67 | -67 |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 1 | 2 | 12 | 28 | 62 | 113 | 71 | 131 | 488 | 371 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 1 | 1 | 2 | 1 | 3 | 1 | 3 | 2 | 17 | 2 |
| Catfish | 2 | 1 | 2 | 1 | * | * | * | * | - 86 | -84 |
| Other Groundfish | - | - | * | * | * | * | * | * | 393 | 146 |
| Total Groundfish | 719 | 768 | 902 | 1 050 | 97 | 160 | 107 | 178 | - 88 | - 83 |
| Herring | 29 | 8 | 119 | 49 | - | - | 63 | 33 | - 47 | -32 |
| Mackerel | 4 | 2 | 4 | 3 | 6 | 4 | 27 | 15 | 505 | 446 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 1 | * | 2 | 1 | * | * | * | * | - 89 | -90 |
| Total Pelagic and Esturial fish | 33 | 10 | 125 | 53 | 6 | 4 | 90 | 49 | - 28 | - 7 |
| Soft shell clam | - | - | - | - | - | - | 3 | 7 | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 19 | 36 | 40 | 74 | 7 | 14 | 21 | 44 | - 48 | -41 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 15 | 226 | 657 | 8 849 | 36 | 526 | 733 | 10 237 | 12 | 16 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 80 | 80 | 83 | 83 | 2 | 2 | 4 | 3 | - 96 | -97 |
| Snow crab | 55 | 281 | 4 759 | 24 126 | 159 | 949 | 3 566 | 21 212 | - 25 | -12 |
| Other Molluscs and Crustaceans | * | * | - | * | - | - | - | - | N/A | N/A |
| Total Molluscs and Crustaceans | 170 | 624 | 5 539 | 33 132 | 205 | 1 491 | 4 327 | 31 503 | - 22 | - 5 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 922 | 1 402 | 6 566 | 34 235 | 309 | 1 655 | 4 524 | 31 730 | - 31 | - 7 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

BAIE-DES-CHALEURS

SHIGAWAKE TO MATAPEDIA

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 35 | 40 | 44 | 51 | - | - | - | - | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | - | - | - | - | - | - | - | - | - | - |
| American plaice | * | * | 1 | 1 | - | - | - | - | N/A | N/A |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | 1 | 1 | N/A | N/A |
| Greenland halibut | - | - | - | - | - | - | - | - | - | - |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | * | * | * | * | - | - | * | * | 173 | 173 |
| Total Groundfish | 35 | 40 | 44 | 52 | - | - | 1 | 1 | - 97 | - 97 |
| Herring | 2 | * | 164 | 76 | 2 | * | 230 | 81 | 41 | 6 |
| Mackerel | 29 | 14 | 43 | 24 | 117 | 52 | 275 | 126 | 539 | 428 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | * | * | * | * | N/A | N/A |
| Total Pelagic and Esturial fish | 31 | 15 | 207 | 100 | 119 | 52 | 505 | 207 | 144 | 107 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 8 | 14 | 34 | 64 | 2 | 4 | 6 | 13 | - 81 | -80 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 2 | 22 | 142 | 1 903 | 4 | 61 | 162 | 2 172 | 14 | 14 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 108 | 107 | 120 | 117 | * | * | 11 | 8 | - 91 | -94 |
| Snow crab | - | - | 1 100 | 5 576 | 7 | 39 | 904 | 5 383 | - 18 | -3 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 117 | 143 | 1 396 | 7 660 | 13 | 104 | 1 084 | 7 575 | - 22 | - 1 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 183 | 198 | 1 647 | 7 811 | 132 | 156 | 1 591 | 7 783 | - 3 | 0 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 884 | 920 | 1 177 | 1 231 | 9 | 14 | 10 | 15 | - 99 | - 99 |
| Haddock | - | - | * | * | - | - | * | * | - 27 | - 37 |
| Redfish | 53 | 30 | 67 | 38 | 49 | 28 | 51 | 29 | - 24 | - 25 |
| Atlantic halibut | 26 | 126 | 104 | 519 | 37 | 196 | 45 | 241 | - 57 | - 53 |
| American plaice | 9 | 7 | 17 | 12 | 5 | 5 | 15 | 13 | - 13 | 12 |
| Greysole (Witch) | * | * | 1 | * | * | * | * | * | - 72 | - 70 |
| Winter flounder | - | - | - | - | - | - | 2 | 1 | N/A | N/A |
| Greenland halibut | 196 | 450 | 303 | 698 | 533 | 981 | 1 364 | 2 610 | 350 | 274 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 6 | 3 | 13 | 7 | 6 | 4 | 7 | 4 | - 44 | - 44 |
| Catfish | 5 | 2 | 7 | 2 | 1 | * | 1 | * | - 89 | - 86 |
| Other Groundfish | 1 | * | 1 | 1 | 1 | 1 | 3 | 2 | 149 | 196 |
| Total Groundfish | 1 179 | 1 538 | 1 691 | 2 509 | 643 | 1 228 | 1 499 | 2 916 | - 11 | 16 |
| Herring | 32 | 9 | 290 | 130 | 2 | 1 | 295 | 115 | 2 | - 12 |
| Mackerel | 35 | 18 | 49 | 28 | 123 | 55 | 302 | 141 | 513 | 404 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 2 | 1 | 3 | 1 | 4 | 1 | 5 | 2 | 71 | 99 |
| Total Pelagic and Esturial fish | 68 | 28 | 342 | 159 | 130 | 57 | 602 | 258 | 76 | 63 |
| Soft shell clam | - | - | - | - | - | - | 3 | 7 | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 72 | 89 | 124 | 186 | 22 | 39 | 63 | 119 | - 49 | - 36 |
| Whelk | 35 | 28 | 144 | 100 | 63 | 68 | 183 | 196 | 27 | 97 |
| Lobster | 28 | 408 | 847 | 11 394 | 53 | 765 | 945 | 13 106 | 12 | 15 |
| Shrimp | 3 274 | 4 287 | 10 705 | 14 060 | 3 286 | 4 329 | 12 607 | 16 770 | 18 | 19 |
| Rock crab | 229 | 228 | 271 | 266 | 20 | 15 | 68 | 47 | - 75 | - 82 |
| Snow crab | 93 | 473 | 8 246 | 41 765 | 180 | 1 069 | 7 046 | 41 981 | - 15 | 1 |
| Other Molluscs and Crustaceans | 1 | * | 4 | 2 | 3 | 2 | 16 | 9 | 318 | 318 |
| Total Molluscs and Crustaceans | 3 732 | 5 514 | 20 340 | 67 774 | 3 627 | 6 286 | 20 931 | 72 236 | 3 | 7 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 4 979 | 7 080 | 22 374 | 70 441 | 4 400 | 7 571 | 23 032 | 75 410 | 3 | 7 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JULY 2003
QUEBEC REGION

* PRELIMINARY *

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | 10 | 14 | 0 | 0 | 10 | 15 |
| Haddock | * | * | * | * | 0 | 0 | * | * |
| Redfish | 2 | 1 | 49 | 27 | 0 | 0 | 51 | 29 |
| Atlantic halibut | 10 | 53 | 35 | 188 | * | 1 | 45 | 241 |
| American plaice | 5 | 4 | 10 | 9 | 0 | 0 | 15 | 13 |
| Greysole (Witch) | * | * | * | * | 0 | 0 | * | * |
| Winter flounder | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 1 |
| Greenland halibut | 327 | 627 | 1 037 | 1 983 | * | * | 1 364 | 2 610 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 1 | * | 7 | 4 | 0 | 0 | 7 | 4 |
| Catfish | * | * | 1 | * | 0 | 0 | 1 | * |
| Other Groundfish | 1 | 1 | 2 | 1 | * | * | 3 | 2 |
| Total Groundfish | 348 | 689 | 1 151 | 2 227 | * | 1 | 1 499 | 2 916 |
| Herring | 107 | 47 | 188 | 68 | * | * | 295 | 115 |
| Mackerel | 131 | 61 | 170 | 81 | 0 | 0 | 302 | 141 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | * | * | 0 | 0 | 0 | 0 | * | * |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 1 | * | 4 | 1 | 0 | 0 | 5 | 2 |
| Total Pelagic and Estuarial fish | 240 | 109 | 362 | 150 | * | * | 602 | 258 |
| Soft shell clam | 3 | 7 | 0 | 0 | 0 | 0 | 3 | 7 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 63 | 119 | 0 | 0 | 63 | 119 |
| Whelk | 50 | 51 | 133 | 146 | 0 | 0 | 183 | 196 |
| Lobster | 818 | 11 340 | 127 | 1 766 | 0 | 0 | 945 | 13 106 |
| Shrimp | 0 | 0 | 9 501 | 12 584 | 3 106 | 4 186 | 12 607 | 16 770 |
| Rock crab | 65 | 45 | 3 | 2 | 0 | 0 | 68 | 47 |
| Snow crab | 437 | 2 621 | 6 594 | 39 271 | 15 | 89 | 7 046 | 41 981 |
| Other Molluscs and Crustaceans | 16 | 9 | 0 | 0 | 0 | 0 | 16 | 9 |
| Total Molluscs and Crustaceans | 1 389 | 14 073 | 16 421 | 53 887 | 3 121 | 4 275 | 20 931 | 72 236 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 977 | 14 870 | 17 934 | 56 264 | 3 121 | 4 276 | 23 032 | 75 410 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | * | 1 |
| Haddock | 0 | 0 | 0 | 0 | * | 0 |
| Redfish | 0 | 0 | 0 | * | * | 1 |
| Atlantic halibut | 0 | 0 | 0 | 1 | 1 | 7 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 5 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 0 | 1 | 1 |
| Greenland halibut | 0 | 0 | 0 | 39 | 323 | 468 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | 1 |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | * | * | 1 |
| Total Groundfish | 0 | 0 | 0 | 41 | 330 | 485 |
| Herring | 0 | 0 | 0 | 23 | 253 | 17 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 178 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | 1 |
| Total Pelagic and Estuarial fish | 0 | * | 0 | 23 | 253 | 196 |
| Soft shell clam | 0 | 0 | 0 | 0 | 3 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 3 | 16 | 22 |
| Whelk | 0 | 0 | 0 | 41 | 46 | 33 |
| Lobster | 0 | 0 | 0 | 0 | 635 | 256 |
| Shrimp | 0 | 0 | 0 | 4 052 | 3 072 | 2 197 |
| Rock crab | 0 | 0 | 0 | 0 | 20 | 28 |
| Snow crab | 0 | 0 | 4 | 931 | 2 121 | 3 810 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 8 | 5 |
| Total Molluscs et Crustaceans | 0 | 0 | 4 | 5 027 | 5 921 | 6 351 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | * | 4 | 5 091 | 6 505 | 7 033 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

PRELIMINARY

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 9 | 0 | 0 | 0 | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 49 | 0 | 0 | 0 | 0 | 0 | 51 |
| 37 | 0 | 0 | 0 | 0 | 0 | 45 |
| 5 | 0 | 0 | 0 | 0 | 0 | 15 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 533 | 0 | 0 | 0 | 0 | 0 | 1 364 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 0 | 7 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| 643 | 0 | 0 | 0 | 0 | 0 | 1 499 |
| 2 | 0 | 0 | 0 | 0 | 0 | 295 |
| 123 | 0 | 0 | 0 | 0 | 0 | 302 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 5 |
| 130 | 0 | 0 | 0 | 0 | 0 | 602 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | 0 | 0 | 0 | 0 | 0 | 63 |
| 63 | 0 | 0 | 0 | 0 | 0 | 183 |
| 53 | 0 | 0 | 0 | 0 | 0 | 945 |
| 3 286 | 0 | 0 | 0 | 0 | 0 | 12 607 |
| 20 | 0 | 0 | 0 | 0 | 0 | 68 |
| 180 | 0 | 0 | 0 | 0 | 0 | 7 046 |
| 3 | 0 | 0 | 0 | 0 | 0 | 16 |
| 3 627 | 0 | 0 | 0 | 0 | 0 | 20 931 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 400 | 0 | 0 | 0 | 0 | 0 | 23 032 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | * | 1 |
| Haddock | 0 | 0 | 0 | 0 | * | 0 |
| Redfish | 0 | 0 | 0 | * | * | 1 |
| Atlantic halibut | 0 | 0 | 0 | 3 | 7 | 35 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 4 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 0 | 1 | 1 |
| Greenland halibut | 0 | 0 | 0 | 95 | 653 | 881 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | * |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | * | * | 1 |
| Total Groundfish | 0 | 0 | 0 | 100 | 664 | 924 |
| Herring | 0 | 0 | 0 | 13 | 95 | 7 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 86 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | * |
| Total Pelagic and Estuarial fish | 0 | * | 0 | 13 | 95 | 93 |
| Soft shell clam | 0 | 0 | 0 | 0 | 7 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 5 | 29 | 45 |
| Whelk | 0 | 0 | 0 | 44 | 49 | 36 |
| Lobster | 0 | 0 | 0 | 0 | 8 950 | 3 390 |
| Shrimp | 0 | 0 | 0 | 5 447 | 4 082 | 2 912 |
| Rock crab | 0 | 0 | 0 | 0 | 13 | 19 |
| Snow crab | 0 | 0 | 26 | 5 542 | 12 668 | 22 676 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 4 | 3 |
| Total Molluscs and Crustaceans | 0 | 0 | 26 | 11 039 | 25 804 | 29 081 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | * | 26 | 11 152 | 26 563 | 30 098 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 14 | 0 | 0 | 0 | 0 | 0 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 28 | 0 | 0 | 0 | 0 | 0 | 29 |
| 196 | 0 | 0 | 0 | 0 | 0 | 241 |
| 5 | 0 | 0 | 0 | 0 | 0 | 13 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 981 | 0 | 0 | 0 | 0 | 0 | 2 610 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 4 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 1 228 | 0 | 0 | 0 | 0 | 0 | 2 916 |
| 1 | 0 | 0 | 0 | 0 | 0 | 115 |
| 55 | 0 | 0 | 0 | 0 | 0 | 141 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 57 | 0 | 0 | 0 | 0 | 0 | 258 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 39 | 0 | 0 | 0 | 0 | 0 | 119 |
| 68 | 0 | 0 | 0 | 0 | 0 | 196 |
| 765 | 0 | 0 | 0 | 0 | 0 | 13 106 |
| 4329 | 0 | 0 | 0 | 0 | 0 | 16 770 |
| 15 | 0 | 0 | 0 | 0 | 0 | 47 |
| 1069 | 0 | 0 | 0 | 0 | 0 | 41 981 |
| 2 | 0 | 0 | 0 | 0 | 0 | 9 |
| 6 286 | 0 | 0 | 0 | 0 | 0 | 72 236 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 571 | 0 | 0 | 0 | 0 | 0 | 75 410 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 435 | 503 | 533 | 622 | 1 | 2 | 2 | 2 |
| Longline | 70 | 81 | 141 | 162 | 7 | 11 | 8 | 11 |
| Fixed gear | 0 | 0 | 7 | 8 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 256 | 241 | 334 | 312 | 1 | 1 | 1 | 1 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | * | * |
| Danish seine | 123 | 94 | 162 | 127 | 0 | 0 | 0 | 0 |
| Species total | 884 | 920 | 1 177 | 1 231 | 9 | 14 | 10 | 15 |
| Redfish | | | | | | | | |
| Gill net | 1 | * | 1 | 1 | 3 | 2 | 5 | 3 |
| Longline | * | * | 1 | * | * | * | * | * |
| Fixed gear | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 52 | 29 | 65 | 37 | 46 | 25 | 46 | 25 |
| Shrimp trawl | * | * | * | * | * | * | * | * |
| Danish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | 53 | 30 | 67 | 38 | 49 | 28 | 51 | 29 |
| American plaice | | | | | | | | |
| Gill net | 4 | 4 | 7 | 6 | 5 | 5 | 15 | 13 |
| Longline | 1 | 1 | 1 | 1 | * | * | * | * |
| Fixed gear | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 2 | 1 | 8 | 4 | * | * | * | * |
| Danish seine | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Species total | 9 | 7 | 17 | 12 | 5 | 5 | 15 | 13 |
| Greenland halibut | | | | | | | | |
| Gill net | 168 | 386 | 234 | 538 | 498 | 918 | 1 324 | 2 539 |
| Longline | 11 | 26 | 24 | 55 | 23 | 41 | 28 | 49 |
| Fixed gear | 0 | 0 | 8 | 18 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 16 | 37 | 36 | 83 | 11 | 21 | 11 | 21 |
| Shrimp trawl | * | * | 1 | 2 | 1 | 1 | 1 | 1 |
| Danish seine | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Species total | 196 | 450 | 303 | 698 | 533 | 981 | 1 364 | 2 610 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 6 | 18 | 8 | 27 | 8 | 29 | 14 | 42 |
| Longline | 30 | 110 | 110 | 476 | 32 | 169 | 38 | 197 |
| Japanese trap | 0 | 0 | * | * | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Fixed gear | 0 | 0 | 2 | 7 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 1 | 1 | 6 | 14 | 5 | 3 | 5 | 3 |
| Shrimp trawl | * | 1 | 1 | 4 | * | * | 1 | 6 |
| Danish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | 37 | 131 | 126 | 529 | 45 | 201 | 59 | 249 |
| **Total Groundfish** | **1 179** | **1 538** | **1 691** | **2 509** | **643** | **1 228** | **1 499** | **2 916** |
| Herring | | | | | | | | |
| Gill net | 32 | 9 | 289 | 130 | 2 | 1 | 291 | 114 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| Shrimp trawl | 0 | 0 | 1 | * | * | * | * | * |
| Species total | 32 | 9 | 290 | 130 | 2 | 1 | 295 | 115 |
| Mackerel | | | | | | | | |
| Gill net | 35 | 18 | 49 | 28 | 118 | 53 | 292 | 136 |
| Handline | 0 | 0 | 0 | 0 | 5 | 3 | 10 | 5 |
| Species total | 35 | 18 | 49 | 28 | 123 | 55 | 302 | 141 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | 1 | * | 1 | * | 4 | 1 | 5 | 2 |
| Longline | * | 0 | * | 0 | 0 | 0 | * | * |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | * | 0 |
| Bottom otter trawl (stern) | 1 | * | 2 | * | 1 | * | 1 | * |
| Species total | 2 | 1 | 3 | 1 | 4 | 1 | 5 | 2 |
| **Total Pelagic and Estuarial fish** | **68** | **28** | **342** | **159** | **130** | **57** | **602** | **258** |
| Scallop | | | | | | | | |
| Drag | 72 | 89 | 124 | 186 | 22 | 39 | 63 | 119 |
| Species total | 72 | 89 | 124 | 186 | 22 | 39 | 63 | 119 |
| Lobster | | | | | | | | |
| Pot | 28 | 408 | 847 | 11 394 | 53 | 765 | 945 | 13 106 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Species total | 28 | 408 | 847 | 11 394 | 53 | 765 | 945 | 13 106 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 3 274 | 4 287 | 10 705 | 14 060 | 3 286 | 4 329 | 12 607 | 16 770 |
| Species total | 3 274 | 4 287 | 10 705 | 14 060 | 3 286 | 4 329 | 12 607 | 16 770 |
| Rock crab | | | | | | | | |
| Pot | 229 | 228 | 271 | 266 | 20 | 15 | 68 | 47 |
| Species total | 229 | 228 | 271 | 266 | 20 | 15 | 68 | 47 |
| Snow crab | | | | | | | | |
| Japanese trap | 3 | 16 | 1 203 | 6 079 | 14 | 83 | 1 198 | 7 155 |
| Rectangular trap | 0 | 0 | 0 | 0 | * | 1 | 5 | 31 |
| Conical trap | 90 | 456 | 6 837 | 34 640 | 165 | 983 | 5 620 | 33 473 |
| Pyramidal trap | * | 1 | 206 | 1 046 | * | 2 | 222 | 1 322 |
| Species total | 93 | 473 | 8 246 | 41 765 | 180 | 1 069 | 7 046 | 41 981 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 35 | 28 | 143 | 99 | 63 | 68 | 183 | 196 |
| Pot | 1 | * | 4 | 2 | 3 | 2 | 16 | 9 |
| Rakes & tongs | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 7 |
| Species total | 35 | 29 | 147 | 102 | 66 | 69 | 202 | 212 |
| **Total Molluscs et Crustaceans** | **3 732** | **5 514** | **20 340** | **67 774** | **3 627** | **6 286** | **20 931** | **72 236** |
| **Sector total :** | **4 979** | **7 080** | **22 374** | **70 441** | **4 400** | **7 571** | **23 032** | **75 410** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | July | | Cumulative | | July | | Cumulative | | | |
| | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 84 | 86 | 129 | 131 | 11 | 14 | 12 | 16 | - 91 | - 88 |
| Haddock | * | * | * | * | - | - | * | * | - 33 | - 67 |
| Redfish | 50 | 42 | 67 | 56 | 111 | 88 | 122 | 96 | 81 | 73 |
| Atlantic halibut | 1 | 9 | 2 | 11 | 4 | 21 | 4 | 22 | 131 | 104 |
| American plaice | 23 | 18 | 47 | 40 | 1 | 1 | 2 | 1 | - 95 | - 99 |
| Greysole (Witch) | 24 | 29 | 25 | 30 | * | * | * | * | - 100 | - 100 |
| Winter flounder | 1 | 1 | 96 | 58 | 4 | 3 | 137 | 100 | 42 | 70 |
| Greenland halibut | 1 | 1 | 1 | 2 | 9 | 16 | 12 | 23 | 913 | N/A |
| Unspecified flounders | * | - | 2 | - | - | - | - | - | N/A | N/A |
| White hake | * | * | * | * | * | * | * | * | - 59 | 96 |
| Catfish | * | * | * | * | * | * | * | * | 32 | - 97 |
| Other Groundfish | 7 | 4 | 197 | 110 | 9 | 7 | 167 | 124 | - 15 | 13 |
| Total Groundfish | 191 | 190 | 567 | 438 | 148 | 149 | 457 | 381 | - 19 | - 13 |
| Herring | - | - | 1 796 | 380 | * | * | 2 442 | 439 | 36 | 16 |
| Mackerel | 4 | 1 | 17 | 6 | 1 | 1 | 17 | 15 | 0 | 164 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 2 | 1 | 2 | 1 | * | - | * | - | - 77 | - 100 |
| Total Pelagic and Esturial fish | 6 | 3 | 1 815 | 387 | 1 | 1 | 2 459 | 454 | 36 | 17 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 22 | 39 | 126 | 229 | 95 | 126 | 277 | 470 | 120 | 105 |
| Whelk | 1 | * | 1 | 1 | 12 | 10 | 12 | 10 | N/A | N/A |
| Lobster | 207 | 2 980 | 2 055 | 29 082 | 105 | 1 448 | 2 110 | 27 012 | 3 | - 7 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 23 | 14 | 96 | 56 | 3 | 2 | 72 | 43 | - 25 | - 24 |
| Snow crab | 137 | 763 | 1 553 | 8 344 | 53 | 318 | 1 408 | 8 327 | - 9 | 0 |
| Other Molluscs and Crustaceans | - | - | * | 1 | - | - | 7 | 8 | N/A | N/A |
| Total Molluscs and Crustaceans | 389 | 3 797 | 3 830 | 37 713 | 267 | 1 904 | 3 885 | 35 869 | 1 | - 5 |
| Other Item | * | 2 | * | 2 | - | - | - | - | N/A | N/A |
| Total | 586 | 3 992 | 6 212 | 38 540 | 417 | 2 055 | 6 801 | 36 704 | 9 | - 5 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JULY 2003
QUEBEC REGION

"PRELIMINARY"

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | 12 | 16 | 0 | 0 | 12 | 16 |
| Haddock | 0 | 0 | * | * | 0 | 0 | * | * |
| Redfish | 0 | 0 | 122 | 96 | 0 | 0 | 122 | 96 |
| Atlantic halibut | 2 | 12 | 2 | 10 | 0 | 0 | 4 | 22 |
| American plaice | 1 | * | 1 | 1 | 0 | 0 | 2 | 1 |
| Greysole (Witch) | 0 | 0 | * | * | 0 | 0 | * | * |
| Winter flounder | 31 | 26 | 106 | 74 | 0 | 0 | 137 | 100 |
| Greenland halibut | 0 | 0 | 12 | 23 | 0 | 0 | 12 | 23 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | * | * | * | * | 0 | 0 | * | * |
| Catfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Other Groundfish | 5 | 2 | 162 | 122 | 0 | 0 | 167 | 124 |
| Total Groundfish | 39 | 40 | 417 | 341 | 0 | 0 | 457 | 381 |
| Herring | 616 | 131 | 1 826 | 309 | 0 | 0 | 2 442 | 439 |
| Mackerel | * | * | 17 | 15 | 0 | 0 | 17 | 15 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | * | 0 | * | 0 | 0 | 0 | * | 0 |
| Total Pelagic and Estuarial fish | 617 | 131 | 1 843 | 323 | 0 | 0 | 2 459 | 454 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 277 | 470 | 0 | 0 | 277 | 470 |
| Whelk | 3 | 3 | 9 | 8 | 0 | 0 | 12 | 10 |
| Lobster | 743 | 9 508 | 1 367 | 17 504 | 0 | 0 | 2 110 | 27 012 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 34 | 20 | 38 | 23 | 0 | 0 | 72 | 43 |
| Snow crab | 44 | 273 | 1 359 | 8 022 | 5 | 32 | 1 408 | 8 327 |
| Other Molluscs and Crustaceans | 0 | 0 | 7 | 8 | 0 | 0 | 7 | 8 |
| Total Molluscs and Crustaceans | 823 | 9 804 | 3 057 | 26 034 | 5 | 32 | 3 885 | 35 869 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 479 | 9 975 | 5 317 | 26 698 | 5 | 32 | 6 801 | 36 704 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | * | 1 |
| Haddock | 0 | 0 | 0 | 0 | 0 | * |
| Redfish | 0 | 0 | 0 | 0 | 0 | 11 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | * |
| American plaice | 0 | 0 | 0 | * | * | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 6 | 63 | 64 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 4 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 3 | 59 | 96 |
| Total Groundfish | 0 | 0 | 0 | 10 | 122 | 176 |
| Herring | 0 | 0 | 0 | 2 092 | 350 | 0 |
| Mackerel | 0 | 0 | * | 0 | 0 | 16 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | * | 2 092 | 350 | 16 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 90 | 61 | 31 |
| Whelk | 0 | 0 | 0 | 0 | * | * |
| Lobster | 0 | 0 | 0 | 0 | 1 107 | 898 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 34 | 34 |
| Snow crab | 0 | 0 | 0 | 0 | 546 | 809 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 7 | 0 | 0 |
| Total Molluscs et Crustaceans | 0 | 0 | 0 | 97 | 1 748 | 1 772 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | * | 2 199 | 2 220 | 1 964 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 11 | 0 | 0 | 0 | 0 | 0 | 12 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 111 | 0 | 0 | 0 | 0 | 0 | 122 |
| 4 | 0 | 0 | 0 | 0 | 0 | 4 |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 4 | 0 | 0 | 0 | 0 | 0 | 137 |
| 9 | 0 | 0 | 0 | 0 | 0 | 12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 9 | 0 | 0 | 0 | 0 | 0 | 167 |
| 148 | 0 | 0 | 0 | 0 | 0 | 457 |
| * | 0 | 0 | 0 | 0 | 0 | 2 442 |
| 1 | 0 | 0 | 0 | 0 | 0 | 17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 1 | 0 | 0 | 0 | 0 | 0 | 2 459 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 95 | 0 | 0 | 0 | 0 | 0 | 277 |
| 12 | 0 | 0 | 0 | 0 | 0 | 12 |
| 105 | 0 | 0 | 0 | 0 | 0 | 2 110 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 72 |
| 53 | 0 | 0 | 0 | 0 | 0 | 1 408 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 267 | 0 | 0 | 0 | 0 | 0 | 3 885 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 417 | 0 | 0 | 0 | 0 | 0 | 6 801 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | 1 | 1 |
| Haddock | 0 | 0 | 0 | 0 | 0 | * |
| Redfish | 0 | 0 | 0 | 0 | 0 | 9 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | 1 |
| American plaice | 0 | 0 | 0 | * | * | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 4 | 49 | 44 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 7 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 2 | 44 | 71 |
| Total Groundfish | 0 | 0 | 0 | 6 | 93 | 132 |
| Herring | 0 | 0 | 0 | 355 | 84 | 0 |
| Mackerel | 0 | 0 | * | 0 | 0 | 14 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | * | 355 | 84 | 14 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 169 | 115 | 60 |
| Whelk | 0 | 0 | 0 | 0 | * | * |
| Lobster | 0 | 0 | 0 | 0 | 14 646 | 10 918 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 20 | 21 |
| Snow crab | 0 | 0 | 0 | 0 | 3 083 | 4 925 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 8 | 0 | 0 |
| Total Molluscs and Crustaceans | 0 | 0 | 0 | 177 | 17 864 | 15 924 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | * | 538 | 18 041 | 16 071 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 14 | 0 | 0 | 0 | 0 | 0 | 16 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 88 | 0 | 0 | 0 | 0 | 0 | 96 |
| 21 | 0 | 0 | 0 | 0 | 0 | 22 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 3 | 0 | 0 | 0 | 0 | 0 | 100 |
| 16 | 0 | 0 | 0 | 0 | 0 | 23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 7 | 0 | 0 | 0 | 0 | 0 | 124 |
| 149 | 0 | 0 | 0 | 0 | 0 | 381 |
| * | 0 | 0 | 0 | 0 | 0 | 439 |
| 1 | 0 | 0 | 0 | 0 | 0 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 454 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 126 | 0 | 0 | 0 | 0 | 0 | 470 |
| 10 | 0 | 0 | 0 | 0 | 0 | 10 |
| 1448 | 0 | 0 | 0 | 0 | 0 | 27 012 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 43 |
| 318 | 0 | 0 | 0 | 0 | 0 | 8 327 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 1 904 | 0 | 0 | 0 | 0 | 0 | 35 869 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 055 | 0 | 0 | 0 | 0 | 0 | 36 704 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 14 | 0 | 0 | 0 | 0 | 0 | 16 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 88 | 0 | 0 | 0 | 0 | 0 | 96 |
| 21 | 0 | 0 | 0 | 0 | 0 | 22 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 3 | 0 | 0 | 0 | 0 | 0 | 100 |
| 16 | 0 | 0 | 0 | 0 | 0 | 23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | * |
| * | 0 | 0 | 0 | 0 | 0 | * |
| 7 | 0 | 0 | 0 | 0 | 0 | 124 |
| 149 | 0 | 0 | 0 | 0 | 0 | 381 |
| * | 0 | 0 | 0 | 0 | 0 | 439 |
| 1 | 0 | 0 | 0 | 0 | 0 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 454 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 126 | 0 | 0 | 0 | 0 | 0 | 470 |
| 10 | 0 | 0 | 0 | 0 | 0 | 10 |
| 1448 | 0 | 0 | 0 | 0 | 0 | 27 012 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 43 |
| 318 | 0 | 0 | 0 | 0 | 0 | 8 327 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 1 904 | 0 | 0 | 0 | 0 | 0 | 35 869 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 055 | 0 | 0 | 0 | 0 | 0 | 36 704 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | * | 0 | 1 | * | * | 0 | * | * |
| Longline | 1 | 1 | 3 | 3 | * | * | * | * |
| Handline | * | * | * | * | 0 | 0 | 0 | 0 |
| Pot | 0 | 0 | * | * | 0 | 0 | * | * |
| Bottom otter trawl (stern) | 13 | 14 | 14 | 14 | 1 | 2 | 2 | 2 |
| Scottish seine | 70 | 72 | 111 | 113 | 9 | 12 | 10 | 13 |
| Species total : | 84 | 86 | 129 | 131 | 11 | 14 | 12 | 16 |
| Redfish | | | | | | | | |
| Bottom otter trawl (stern) | 50 | 42 | 67 | 56 | 111 | 88 | 122 | 96 |
| Species total : | 50 | 42 | 67 | 56 | 111 | 88 | 122 | 96 |
| American plaice | | | | | | | | |
| Gill net | * | 0 | * | 0 | 0 | 0 | 0 | 0 |
| Longline | * | * | * | * | * | * | * | * |
| Bottom otter trawl (stern) | * | * | 1 | 1 | * | * | 2 | * |
| Scottish seine | 22 | 18 | 47 | 39 | 1 | * | 1 | 1 |
| Species total : | 23 | 18 | 47 | 40 | 1 | 1 | 2 | 1 |
| Greenland halibut | | | | | | | | |
| Bottom otter trawl (stern) | 1 | 1 | 1 | 2 | 9 | 16 | 12 | 23 |
| Species total : | 1 | 1 | 1 | 2 | 9 | 16 | 12 | 23 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | * | 0 | 14 | 12 | * | 0 | 25 | 22 |
| Longline | 1 | 8 | 1 | 8 | 3 | 19 | 3 | 19 |
| Bottom otter trawl (stern) | 24 | 30 | 95 | 69 | 1 | 3 | 62 | 37 |
| Scottish seine | 9 | 5 | 212 | 120 | 12 | 9 | 217 | 167 |
| Species total : | 34 | 43 | 322 | 209 | 17 | 31 | 308 | 246 |
| **Total Groundfish** | **191** | **190** | **567** | **438** | **148** | **149** | **457** | **381** |
| Herring | | | | | | | | |
| Gill net | 0 | 0 | 1 412 | 341 | * | * | 1 542 | 428 |
| Fixed gear | 0 | 0 | 196 | 2 | 0 | 0 | 900 | 11 |
| Bottom otter trawl (stern) | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Purse seine | 0 | 0 | 187 | 37 | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Species total | 0 | 0 | 1 796 | 380 | * | * | 2 442 | 439 |
| Mackerel | | | | | | | | |
| Gill net | 2 | 1 | 13 | 4 | 1 | 1 | 17 | 15 |
| Longline | 0 | 0 | 0 | 0 | * | * | * | * |
| Handline | 1 | 1 | 4 | 1 | 0 | 0 | 0 | 0 |
| Species total | 4 | 1 | 17 | 6 | 1 | 1 | 17 | 15 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | 0 | 0 | 0 | 0 | * | 0 | * | 0 |
| Longline | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | * | 0 |
| Bottom otter trawl (stern) | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Species total | 2 | 1 | 2 | 1 | * | 0 | * | 0 |
| **Total Pelagic and Estuarial fish** | **6** | **3** | **1 815** | **387** | **1** | **1** | **2 459** | **454** |
| Scallop | | | | | | | | |
| Drag | 22 | 39 | 126 | 229 | 95 | 126 | 277 | 470 |
| Species total | 22 | 39 | 126 | 229 | 95 | 126 | 277 | 470 |
| Lobster | | | | | | | | |
| Pot | 207 | 2 980 | 2 055 | 29 082 | 105 | 1 448 | 2 110 | 27 012 |
| Species total | 207 | 2 980 | 2 055 | 29 082 | 105 | 1 448 | 2 110 | 27 012 |
| Rock crab | | | | | | | | |
| Pot | 23 | 14 | 96 | 56 | 3 | 2 | 72 | 43 |
| Species total | 23 | 14 | 96 | 56 | 3 | 2 | 72 | 43 |
| Snow crab | | | | | | | | |
| Conical trap | 137 | 763 | 1 513 | 8 133 | 53 | 318 | 1 364 | 8 072 |
| Pyramidal trap | * | * | 40 | 212 | 0 | 0 | 44 | 254 |
| Species total | 137 | 763 | 1 553 | 8 344 | 53 | 318 | 1 408 | 8 327 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 1 | * | 1 | 1 | 12 | 10 | 12 | 10 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) July Qty | 2002 (final) July Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) July Qty | 2003 (preliminary) July Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Conical trap | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Drag | 0 | 0 | * | 1 | 0 | 0 | 7 | 8 |
| Species total | 1 | * | 1 | 1 | 12 | 10 | 19 | 18 |
| **Total Molluscs et Crustaceans** | **389** | **3 797** | **3 830** | **37 713** | **267** | **1 904** | **3 885** | **35 869** |
| OTHER ITEMS | | | | | | | | |
| Drag | * | 2 | * | 2 | 0 | 0 | 0 | 0 |
| Species total | * | 2 | * | 2 | 0 | 0 | 0 | 0 |
| **Sector total :** | **586** | **3 992** | **6 212** | **38 540** | **417** | **2 055** | **6 801** | **36 704** |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) | | 2003 (preliminary) | | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| | | July | Cumulative | July | Cumulative | |
| GROUNDFISH | | | | | | |
| Cod | Round | 0,801 | 0,826 | - | - | N/A |
| | Gutted, head on | 1,326 | 1,321 | 1,685 | 1,679 | 27,1 |
| Redfish | Round | 0,698 | 0,699 | 0,745 | 0,747 | 6,9 |
| Atlantic halibut | Round | 3,855 | 4,226 | - | - | N/A |
| | Gutted, head on | 5,901 | 5,875 | 6,345 | 6,430 | 9,4 |
| | Gutted, head off | - | 8,783 | - | 9,776 | 11,3 |
| American plaice | Round | 0,842 | 0,830 | 0,888 | 0,820 | -1,2 |
| Greysole (Witch) | Round | 1,212 | 1,212 | - | - | N/A |
| Winter flounder | Round | 0,551 | 0,606 | 0,663 | 0,727 | 19,9 |
| Greenland halibut | Round | 1,210 | 1,251 | 1,966 | 1,918 | 53,3 |
| | Bled, partly gutted | 2,410 | 2,414 | 1,902 | 1,978 | -18,0 |
| White hake | Round | - | - | 0,544 | 0,544 | N/A |
| | Gutted, head on | 0,653 | 0,658 | 0,677 | 0,667 | 1,3 |
| Catfish | Gutted, head on | 0,530 | 0,520 | 0,486 | 0,481 | -7,5 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,264 | 0,264 | 0,454 | 0,223 | -15,4 |
| Mackerel | Round | 0,508 | 0,510 | 0,452 | 0,490 | -4,0 |
| Capelin | Round | 0,110 | 0,110 | - | - | N/A |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 2,118 | 2,179 | 1,540 | 1,569 | -28,0 |
| Scallop | In shell | 0,627 | 0,644 | 1,099 | 1,027 | 59,5 |
| | Meat and roe | - | - | 2,205 | 2,205 | N/A |
| | Meat | 11,558 | 11,597 | 11,952 | 12,382 | 6,8 |
| Whelk | In shell | 0,855 | 0,829 | 0,983 | 0,973 | 17,3 |
| Lobster | Round | 14,329 | 13,929 | 13,458 | 13,086 | -6,1 |
| | Cooked in shell | - | - | 13,228 | 12,675 | N/A |
| Shrimp | Round | 1,311 | 1,318 | 1,318 | 1,331 | 1,0 |
| | Cooked in shell | - | 3,291 | - | 3,585 | 8,9 |
| Rock crab | Round | 0,960 | 0,878 | 0,738 | 0,641 | -27,0 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) | | 2003 (preliminary) | | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| | | July | Cumulative | July | Cumulative | |
| Snow crab | Round | 4,999 | 5,028 | 5,873 | 5,940 | 18,1 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

NORTH-SHORE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) July | 2002 (final) Cumulative | 2003 (preliminary) July | 2003 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | 1,390 | 1,392 | 1,702 | 1,699 | 22,1 |
| Redfish | Round | - | - | 0,750 | 0,722 | N/A |
| Atlantic halibut | Round | - | 6,614 | - | - | N/A |
| | Gutted, head on | 6,137 | 6,271 | 7,170 | 7,258 | 15,7 |
| | Gutted, head off | - | 8,783 | - | 9,776 | 11,3 |
| American plaice | Round | 0,941 | 0,941 | 0,998 | 0,999 | 6,1 |
| Greenland halibut | Bled, partly gutted | 2,415 | 2,418 | 1,864 | 1,893 | -21,7 |
| Catfish | Gutted, head on | 0,663 | 0,663 | - | - | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,252 | 0,443 | 0,481 | 0,617 | 39,3 |
| Capelin | Round | 0,110 | 0,110 | - | - | N/A |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 2,118 | 2,179 | 1,540 | 1,566 | -28,1 |
| Scallop | In shell | 0,992 | 0,992 | 1,099 | 1,017 | 2,5 |
| | Meat | 9,182 | 9,330 | 10,266 | 10,059 | 7,8 |
| Whelk | In shell | 0,860 | 0,855 | 0,963 | 0,952 | 11,4 |
| Lobster | Round | 12,682 | 12,953 | 10,552 | 10,963 | -15,4 |
| Shrimp | Round | 1,323 | 1,393 | 1,345 | 1,349 | -3,2 |
| | Cooked in shell | - | 3,292 | - | 3,594 | 9,2 |
| Snow crab | Round | 4,901 | 4,919 | 5,827 | 5,916 | 20,3 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

GASPESIE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) July | 2002 (final) Cumulative | 2003 (preliminary) July | 2003 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Round | 0,801 | 0,825 | - | - | N/A |
| | Gutted, head on | 1,296 | 1,299 | 1,718 | 1,714 | 31,9 |
| Redfish | Round | 0,559 | 0,569 | 0,564 | 0,569 | -0,1 |
| Atlantic halibut | Round | 3,858 | 3,858 | - | - | N/A |
| | Gutted, head on | 5,651 | 5,742 | 6,162 | 6,133 | 6,8 |
| American plaice | Round | 0,782 | 0,692 | 0,899 | 0,888 | 28,3 |
| Winter flounder | Round | - | - | - | 0,583 | N/A |
| Greenland halibut | Round | - | 2,205 | 1,995 | 1,995 | -9,5 |
| | Bled, partly gutted | 2,409 | 2,416 | 1,928 | 2,009 | -16,8 |
| White hake | Round | - | - | 0,544 | 0,544 | N/A |
| | Gutted, head on | 0,664 | 0,663 | 0,669 | 0,660 | -0,4 |
| Catfish | Gutted, head on | 0,425 | 0,404 | 0,500 | 0,494 | 22,2 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,286 | 0,448 | 0,232 | 0,391 | -12,9 |
| Mackerel | Round | 0,527 | 0,570 | 0,450 | 0,469 | -17,8 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | - | - | - | 2,094 | N/A |
| Scallop | In shell | 0,608 | 0,608 | - | - | N/A |
| | Meat | 15,398 | 15,468 | 15,249 | 15,523 | 0,4 |
| Whelk | In shell | 0,814 | 0,693 | 1,075 | 1,074 | 55,1 |
| Lobster | Round | 14,766 | 13,463 | 14,344 | 13,878 | 3,1 |
| | Cooked in shell | - | - | 13,228 | 12,675 | N/A |
| Shrimp | Round | 1,309 | 1,312 | 1,317 | 1,330 | 1,3 |
| | Cooked in shell | - | 3,283 | - | - | N/A |
| Rock crab | Round | 0,995 | 0,982 | 0,750 | 0,692 | -29,6 |
| Snow crab | Round | 5,068 | 5,065 | 5,953 | 5,958 | 17,6 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) | | 2003 (preliminary) | | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| | | July | Cumulative | July | Cumulative | |
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | 1,238 | 1,226 | 1,589 | 1,582 | 29,1 |
| Redfish | Round | 0,846 | 0,827 | 0,789 | 0,788 | -4,7 |
| Atlantic halibut | Gutted, head on | 7,068 | 7,172 | 6,305 | 6,319 | -11,9 |
| American plaice | Round | 0,866 | 0,885 | 0,703 | 0,237 | -73,3 |
| Greysole (Witch) | Round | 1,215 | 1,215 | - | - | N/A |
| Winter flounder | Round | 0,551 | 0,606 | 0,663 | 0,726 | 19,8 |
| Greenland halibut | Round | 1,028 | 1,028 | - | - | N/A |
| | Bled, partly gutted | - | - | 1,953 | 1,953 | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | - | 0,213 | - | 0,178 | -16,4 |
| Mackerel | Round | 0,342 | 0,333 | - | 0,882 | 164,5 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Scallop | Meat and roe | - | - | 2,205 | 2,205 | N/A |
| | Meat | 15,092 | 15,122 | 15,898 | 15,715 | 3,9 |
| Whelk | In shell | 0,661 | 0,661 | 0,882 | 0,882 | 33,3 |
| Lobster | Round | 14,429 | 14,154 | 13,788 | 12,802 | -9,5 |
| Rock crab | Round | 0,611 | 0,584 | 0,661 | 0,593 | 1,5 |
| Snow crab | Round | 5,569 | 5,374 | 6,026 | 5,915 | 10,1 |